

8. REFERENCES

- *ACGIH. 1986. Documentation of the threshold limit values and biological exposure indices. 5th ed. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *ACGIH. 1990. Threshold limit values for chemical substances and physical agents and biological exposure indices for 1990-1991. American Conference of Governmental Industrial Hygienists. Cincinnati, OH.
- *ACGIH. 1996. Threshold limit values for chemical substances and physical agents and biological exposure indices for 1995-1996. American Conference of Governmental Industrial Hygienists, Cincinnati, OH.
- *ACGIH. 1998. Threshold limit values for chemical substances and physical agents. Biological exposure indices. 1998 TLVs and BEIs. American Conference of Governmental Industrial Hygienists. March 1, 1998.
- *Adinolfi M. 1985. The development of the human blood-CSF-brain barrier. *Developmental Medicine & Child Neurology* 27:532-537.
- Alexander M, Lustigman BK. 1966. Effects of chemical structure on microbial degradation of substituted benzenes. *J Agr Food Chem* 14:410-413.
- *Allis JW, Simmons JE, House DE et al. 1992. The differential hepatotoxicity and cytochrome P450 responses of Fischer-344 rats to the three isomers of dichlorobenzene. *J Biochem Toxicol* 7(4):257-264.
- *Altman PK, Dittmer DS. 1974. In: *Biological handbooks: Biology data book, Volume III*, second edition. Bethesda, MD: Federation of American Societies for Experimental Biology, 1987-2008, 2041.
- *Amoore JE, Hautala E. 1983. Odor as an aid to chemical safety: Odor thresholds compared with threshold limit values and volatilities for 214 industrial chemicals in air and water dilution. *J Appl Toxicol* 3:272-290.
- *Andersen ME, Krishnan K. 1994. Relating *in vitro* to *in vivo* exposures with physiologically based tissue dosimetry and tissue response models. In: H. Salem, ed. *Current concepts and approaches on animal test alternatives*. U.S. Army Chemical Research Development and Engineering Center, Aberdeen Proving Ground, Maryland.
- *Andersen ME, MacNaughton MG, Clewell HJ, et al. 1987. Adjusting exposure limits for long and short exposure periods using a physiological pharmacokinetic model. *Am Ind Hyg Assoc J* 48(4):335-343.
- *Anderson D. 1976. Paradichlorobenzene: Estimation of its mutagenic potential in the Salmonella typhimurium plate incorporation mutagenicity assay. ICI Report No. CTL/P/298. November.

*Cited in text

- *Anderson D, Hodge MC. 1976. Paradichlorobenzene: Dominant lethal study in the mouse. ICI Report No. CTL/P/296. November.
- *Anderson D, Richardson CR. 1976. Paradichlorobenzene: Cytogenic study in the rat. ICI Report No. CTL/P/293. November.
- Anderson EL. 1983a. Quantitative approaches in use to assess cancer risk. *Risk Analysis* 3:377-295
- Anderson GE. 1983b. Human exposure to atmospheric concentrations of selected chemicals. Vol. 2. Report to U.S. Environmental Protection Agency, Research Triangle Park, NC, by Systems Applications, Inc., San Rafael, CA. NTIS no. PB83-265249.
- Anderson KJ, Leighty EG, Takahashi MT. 1972. Evaluation of herbicides for possible mutagenic properties. *J Agr Food Chem* 20:649-656.
- *Antoine SR, DeLeon IR, O'Dell-Smith RM. 1986. Environmentally significant volatile organic pollutants in human blood. *Bull Environ Contam Toxicol* 36:364-371.
- *APHA. 1977. Methods of air sampling and analysis. 2nd ed. Washington, DC: American Public Health Association, 894-902.
- *APHA. 1989. Standard methods for the examination of water and wastewater. 17th ed. Washington, DC: American Public Health Association.
- *APHA. 1995a. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6210 B.
- *APHA. 1995b. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6210 C.
- *APHA. 1995c. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6210 D.
- *APHA. 1995d. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6220 B.
- *APHA. 1995e. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6220 C.
- *APHA. 1995f. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6230 B.
- *APHA. 1995g. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6230 C.
- *APHA. 1995h. Standard methods for the examination of water and wastewater. 19th ed. Washington, DC: American Public Health Association. 6230 D.

8. REFERENCES

- *Ariyoshi T, Ideguchi K, Iwasaki K, et al. 1975. Relationship between chemical structure and activity. II. Influences of isomers of dichlorobenzene, trichlorobenzene and tetrachlorobenzene on the activities of drug-metabolizing enzymes. *Chem Pharm Bull* 23:82
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1992. Determining volatile organic compounds in human blood from a large sample population by using purge and trap gas chromatography/mass spectrometry. *Analytical Chemistry* 64(9):1021-1029.
- *Ashley DL, Bonin MA, Cardinali FL, et al. 1994. Blood concentrations of volatile organic compounds in a nonoccupationally exposed US population and in groups with suspected exposure. *Clin Chem* 40(7):1401-1404.
- *Ashley DL, Bonin MA, Hamar B, et al. 1995. Removing the smoking confounder from blood volatile organic compounds measurements. *Environmental Research* 71(1):39-45.
- *ASTER. 1995. ASTER (Assessment Tools for the Evaluation of Risk) ecotoxicity profile. Duluth, MN: Environmental Research Laboratory, U.S. Environmental Protection Agency.
- *ASTM. 1994. Standard test method for purgeable organic compounds in water using headspace sampling. Section 11. Water and Environmental Technology. D 3871-84. 11.02:204-207.
- Astrand I. 1975. Uptake of solvents in the blood and tissues of man: A review. *Stand J Work Environ Health* 1:199-208.
- *Atkinson R, Carter WP, Aschmann SM, et al. 1985. Atmospheric fates of organic chemicals: Prediction of ozone and hydroxyl radical reaction rates and mechanisms. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by University of California, Statewide Air Pollution Research Center, Riverside, CA. EPA/600/3-85/063. NTIS no. PB85-241529.
- *ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles. Agency for Toxic Substances and Disease Registry, Division of Toxicology, Atlanta, GA.
- *ATSDR/CDC. 1990. Subcommittee report on biological indicators of organ damage. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention, Atlanta, GA.
- *Azouz WM, Parke DV, Williams RT. 1955. Studies in detoxication. The metabolism of halogenobenzenes. Ortho- and para-dichlorobenzenes. *Biochem J* 59:410-415.
- *Bahnick DA, Doucette WJ. 1988. Use of molecular connectivity indices to estimate soil sorption coefficients for organic chemicals. *Chemosphere* 17:1703-1715.
- Ballschmiter K, Scholz C. 1980. Microbial decomposition of chlorinated aromatic substances. VI. Formation of dichlorophenols and dichloropyrocatechol from dichlorobenzenes in a micromolar solution by *Pseudomonas* species. *Chemosphere* 9:457-467.
- *Barkley J, Bunch J, Bursey JT, et al. 1980. Gas chromatography mass spectrometry computer analysis of volatile halogenated hydrocarbons in man and his environment - A multimedia environmental study. *Biomed Mass Spectrometry* 7:139-147.

8. REFERENCES

- *Barnes DG, Dourson M. 1988. Reference dose (RfD): Description and use in health risk assessments. *Regul Toxicol Pharmacol* 8:471-486.
- *Battelle and, Crump KS, and Co., Inc. 1986. Quantitative risk assessment for 1,4-Dichlorobenzene prepared for Exposure Evaluation Division. U.S. Environmental Protection Agency, Office of Toxic Substances, under Contract No. 68-02-4246.
- Bellar TA, Lichtenberg JJ, Kroner RC. 1974. The occurrence of organohalides in chlorinated drinking waters. *J Am Water Works Assoc* (December):703-706.
- *Bon-hard E, Luckhaus G, Voight WH, et al. 1988. Induction of light hydrocarbon nephropathy by p-dichlorobenzene. *Arch Toxicol* 61:433-439.
- *Borghoff SJ, Andersen ME, Conolly RB. 1991. Protein nephropathy and kidney cancer in male rats: Qualitative and quantitative issues and human relevance. *CIIT Activities* 11(1):107
- *Bouwer EJ, McCarty PL. 1982. Removal of trace chlorinated organic compounds by activated carbon and fixed-film bacteria. *Environ Sci Technol* 16:836-843.
- *Bouwer EJ, McCarty PL. 1983. Transformations of halogenated organic compounds under denitrification conditions. *Appl Environ Microbiol* 45:1295-1299.
- *Bouwer EJ, McCarty PL. 1984. Modeling of trace organics biotransformation in the subsurface. *Ground Water* 22:433-440.
- *Bozzelli JW, Kebbekus BB. 1979. Analysis of selected volatile organic substances in ambient air. Report to New Jersey Department of Environmental Protection, Program on Environmental Cancer and Toxic Substances, by New Jersey Institute of Technology, Air Pollution Research Laboratory.
- Bozzelli JW, Kebbekus BB. 1982. A study of some aromatic and halocarbon vapors in the ambient atmosphere of New Jersey. *J Environ Sci Health A17*:693-711.
- *Bristol DW, Crist HL, Lewis RG, et al. 1982. Chemical analysis of human blood for assessment of environmental exposure to semivolatile organochlorine chemical contaminants. *J Anal Toxicol* 6:269-275.
- Brodzinsky R, Singh HB. 1983. Volatile organic chemicals in atmosphere: An assessment of available data. Report to U.S. Environmental Protection Agency, Environmental Research Laboratory, Research Triangle Park, NC, by SRI International, Menlo Park, CA. EPA-600/3-83-027(A).
- *Brown KW, Donnelly KC. 1988. An estimation of the risk associated with the organic constituents of hazardous and municipal waste landfill leachates. *Hazard Waste Hazard Materials* 5:1-3.
- Brunce N, Kumar Y, Ravanal L, et al. 1978. Photochemistry of chlorinated biphenyls in iso-octane solution. *J Chem Soc Perkin Transact II*, 880-884.
- *Bush B, Smith RM, Narang AS, et al. 1984. Photoionization conductivity detection limits for environmental pollutants with and without chromophores. *Anal Letters* 17:467-547.

*C&EN. 1995. Chemical and Engineering News.

Callahan MA, Slimak MW, Gabel NW, et al. 1979. Water-related environmental fate of 129 priority pollutants. Vol. I. Introduction and technical background, metals and inorganics, pesticides and PCBs. Report to U.S. Environmental Protection Agency, Office of Water Planning and Standards, Washington, DC., by Versar Incorporated, Springfield, VA. EPA-440/4-79-029a. NTIS no. PBSO-204373.

*Campbell DM, Davidson RJ. 1970. Toxic haemolytic anemia in pregnancy due to a pica for paradichlorobenzene. *J Obstet Gynaec Br Commonw* 77:657-659.

*Canonero R, Campart GB, Mattioli F, et al. 1997. Testing of p-dichlorobenzene and hexachlorobenzene for their ability to induce DNA damage and micronucleus formation in primary cultures of rat and human hepatocytes. *Mutagenesis* 12(1):35-9.

*Carlson GP. 1977. Chlorinated benzene induction of hepatic porphyria. *Experientia* 33:1627-1629.

*Carlson GP, Tardiff R. 1976. Effect of chlorinated benzenes on the metabolism of foreign organic compounds. *Toxicol Appl Pharmacol* 36:383-394.

CCRIS. 1990. Chemical Carcinogenesis Research Information Systems. National Library of Medicine, Bethesda, MD. July 6, 1990.

CESARS. 1990. Chemical Evaluation Search and Retrieval System. Chemical Information Systems, Inc., Baltimore, MD. July 26, 1990.

*Chapman PM, Downie J, Maynard A. 1996. Coal and deodorizer residues in marine sediments contaminants or pollutants. *Environ Toxicol Chem* 15(5):638-642

*Charbonneau M, Short B, Lock E et al. 1987. Mechanism of petroleum-induced sex-specific protein droplet nephropathy and renal cell proliferation in Fischer 344 rats: Relevance to humans. [Unpublished study]. Chemical Industry Institute of Toxicology, Research Triangle Park, NC.

*Charbonneau M, Strasser J, Lock EA, et al. 1989a. 1,4-Dichlorobenzene-induced nephrotoxicity: Similarity with unleaded gasoline (UG)-induced renal effects. In: Bach P, Lock EA, eds. *Nephrotoxicity: In vitro to in vivo. Animals to man*. New York, NY: Plenum Press, 557-562.

*Charbonneau M, Strasser J, Lock EA, et al. 1989b. Involvement of reversible binding to $\alpha_2\mu$ -globulin in 1,4-dichlorobenzene-induced nephrotoxicity. *Toxicol Appl Pharmacol* 99:122-132.

*Chemical Marketing Reporter. 1990. Chemical profile: p-dichlorobenzene. Chemical Marketing Reporter July 16.

Chemical Regulations and Guidelines. 1990. Dialog Information Systems, Inc., Palo Alto, CA. July 19, 1990.

Chernline. 1990. Chemical dictionary online. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. July 5, 1990.

- *Chen CS, Zolteck J. 1995. Organic priority pollutants in wetland-treated leachates at a landfill in central Florida. *Chemosphere* 31(6):3455-3464.
- *Chiou CT. 1985. Partition coefficients of organic compounds in lipid-water systems and correlations with fish bioconcentration factors. *Environ Sci Technol* 19:57-62.
- Chiou CT, Freed VH, Schmedding DW, et al. 1977. Partition coefficient and bioaccumulation of selected organic chemicals. *Environ Sci Technol* 11:475-478.
- *Chiou CT, Porter PE, Schmedding DW. 1983. Partition equilibria of nonionic organic compounds between soil organic matter and water. *Environ Sci Technol* 17:227-231.
- *Clayton GD, Clayton FE, eds. 1981. *Patty's industrial hygiene and toxicology*. 3rd ed. Vol. 2B, Toxicology. New York: John Wiley and Sons, Inc., 3617.
- *Clewell HJ III, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1:111-113.
- *CLPSD. 1990. Contract Laboratory Program Statistical Database. Viar and Company, Management Service Division, Alexandria, VA. July 1990.
- *Cole RH, Frederick RE, Healy RP, et al. 1984. Preliminary findings of the priority pollutant monitoring project of the nationwide urban runoff program. *J Water Pollut Control Fed* 56:898-908.
- Coleman WE, Lingg RD, Melton RG, et al. 1975. The occurrence of volatile organics in five drinking water supplies using gas chromatography/mass spectrometry. In: Keith LW, ed. Identification and analysis of organic pollutants in water. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 305-327.
- Cone MV, Baldauf MF, Opresko DM et al. 1983. Chemicals identified in human breast milk, a literature search. Oak Ridge National Laboratory report under EPA/DOE IAG No. DW930139-O 1-1. Office of Pesticides and Toxic Substances. EPA 560/5-83-009.
- *Coniglio WA, Miller K, MacKeever D. 1980. The occurrence of volatile organics in drinking water. Briefing - prepared for Deputy Asst. Admin. Drinking Water, March 6. Criteria and Standards Division, U.S. EPA, Washington, DC.
- *Cotter LH. 1953. Paradichlorobenzene poisoning from insecticides. *NY State J Med* (July 15):1690-1692.
- Craig P. 1986. Presentations on male rat nephropathy. Toxicology Forum, Aspen Colorado, July 15, 1986.
- *Cramer PH, Boggess KE, Hosenfeld JM, et al. 1988. Determination of organic chemicals in human whole blood: Preliminary method development for volatile organics. *Bull Environ Contam Toxicol* 40:612-618.
- CRIS/USDA. 1990. Current Research Information System, U.S. Department of Agriculture. Dialog Information Systems, Inc., Palo Alto, CA. July 6, 1990.

8. REFERENCES

- *Cuppit LT. 1980. Fate of toxic and hazardous materials in the air environment. Research Triangle Park, NC: U.S. Environmental Protection Agency, Environmental Sciences Research Laboratory. NTIS no. PB80-221948.
- *Daft JL. 1989. Determination of fumigants and related chemicals in fatty and nonfatty foods. *J Agric Food Chem* 37:560-564.
- *Den Besten C, Ellenbroek M, Van Der Ree MAE, et al. 1992. The involvement of primary and secondary metabolism in the covalent binding of 1,2 and 1,4, dichlorobenzenes. *Chem Biol Interaction* 84:259-275.
- *Den Besten C, Jurgen JRM, Besselink HT, et al. 1991. The liver, kidney, and thyroid toxicity of chlorinated benzenes. *Toxicol Appl Pharmacol* 111:69-81.
- *DHHS. 1995. Report to Congress on workers' home contamination study conducted under the workers' family protection act (29 U.S.C. 671a). U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control and Prevention, National Institute for Occupational Safety and Health (Cincinnati, OH). September 1995.
- *Dietrich DR, Swenberg JA. 1991. NCI-black-Reiter (NBR) male rats fail to develop renal disease following exposure to agents that induce delta-2p-globulin (2c) Nephropathy. *Fund Appl Toxicol* 16:749-762.
- *DOT. 1990a. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101
- *DOT. 1990b. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101, App. A.
- *DOT. 1990c. Department of Transportation. Code of Federal Regulations. 49 CFR 172.101, App. B.
- Dowty BJ, Carlisle DR, Laseter JL. 1975. New Orleans drinking water sources tested by gas chromatography-mass spectrometry. *Environ Sci Technol* 9:762-765.
- *Dressman RC, Fair J, McFarren EF. 1977. Determinative method for analysis of aqueous sample extracts for bis(Zchloro)ethers and dichlorobenzenes. *Environ Sci Technol* 11:719-721.
- Dunovant VS, Clark CS, Que Hee SS, et al. 1986. Volatile organics in the wastewater and airspaces of three wastewater treatment plants. *J Water Pollut Control Fed* 58:886-895.
- *Elder VA, Proctor BL, Hites RA. 1981. Organic compounds found near dump sites in Niagara Falls, NY. *Environ Sci Technol* 15:1237-1243.
- *Eldridge SR, Goldsworthy TL, Popp JA. 1992. Mitogenic stimulation of hepatocellular proliferation in rodents following 1,4 dichlorobenzene administration. *Carcinogenesis* 13(3):409-415.
- EPA. 1975. Identification of organic compounds in effluents from industrial sources. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances.
- *EPA. 1978. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 116.4.

8. REFERENCES

- *EPA. 1979. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 401.15.
- *EPA. 1980a. U.S. Environmental Protection Agency. Ambient water quality criteria for dichlorobenzenes. EPA 440/5-80-039. Environmental Criteria and Assessment Office for the Office of Water Regulations and Standards, EPA, Washington, DC.[retrieval in progress]
- *EPA. 1980b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.33.
- *EPA. 1981a. An exposure and risk assessment for dichlorobenzenes. Washington, DC: U.S. Environmental Protection Agency, Office of Water Regulations and Standards.
- *EPA. 1981b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 413.02.
- *EPA. 1981c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App. VII.
- *EPA. 1982a. Chlorinated hydrocarbons. Test method - method 612. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory.
- *EPA. 1982b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 712.30.
- EPA. 1982c. Purgeables. Test method - method 624. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory.
- *EPA. 1982d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 423.17 and Appendix A.
- EPA. 1982e. Purgeable halocarbons: Test method - method 601. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory.
- *EPA. 1982f. Test method - Base/neutrals and acids. Method-625. In: Method for determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA/600/7-82/039.
- EPA. 1982g. U.S. Environmental Protection Agency. Federal Register 47:26992, 27007-27008.
- EPA. 1982h. 1,4-Dichlorobenzene. In: Kayser R, Sterling D, Viviani D, eds. Intermedia priority pollutant guidance documents. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances.
- EPA. 1982i. Purgeable aromatics. Test method - method 602. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory.
- *EPA. 1983a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.489.
- *EPA. 1983b. U.S. Environmental Protection Agency. Chemicals identified in human breast milk. A literature search. Office of Pesticides and Toxic Substances. Washington, DC. EPA 560/5-83-009.

*EPA. 1983c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 122, App. D.

*EPA. 1983d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 433.11.

*EPA. 1983e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App. III.

EPA. 1983f. U.S. Environmental Protection Agency. Methods for chemical analysis of water and wastes. Office of Research and Development, Environmental Monitoring and Support Laboratory. Cincinnati, OH: EPA-600/4-79-020.

EPA. 1983g. Treatability manual. Vol. I. Treatability data. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA-600/2-82-001a.

*EPA. 1984a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 125.

*EPA. 1984b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136, App. A.

*EPA. 1984c. Method 612. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.

*EPA. 1984d. Method 624. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.

*EPA. 1984e. Method 601. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.

*EPA. 1984f. Method 602. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 136.

*EPA. 1985a. U.S. Environmental Protection Agency. Health assessment document for chlorinated benzenes. Final report. Office of Health and Environmental Assessment, EPA, Washington, DC. EPA/600-8-841015F.

*EPA. 1985b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 117.3.

*EPA. 1985c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 302.4.

*EPA. 1986a. Aromatic volatile organics - method 8020. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1986b. Gas chromatography/mass spectrometry for semivolatile organics: Capillary column technique-method 8270. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1986c. Halogenated volatile organics - method 8010. In: Test methods for evaluating solid waste. 3rd ed. SW-846. Washington, DC: U.S. Environmental Protection Agency, Office of Solid Waste and Emergency Response.

*EPA. 1986d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 403. App. B.

*EPA. 1986e U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.12.

EPA. 1986f. U.S. Environmental Protection Agency. Broad scale analysis of the FY 82 national human adipose tissue survey specimens. Volume II: Volatile organic compounds. EPA .560/5-86-036. Office of Toxic Substances. Washington, DC.

EPA. 1986g. U.S. Environmental Protection Agency. Superfund public health evaluation manual. Washington, DC: Office of Emergency and Remedial Response. EPA 540/1-86-060.

*EPA. 1986h. Volatile aromatic and unsaturated organic compounds in water by purge and gas trap chromatography. Method 503.1. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA/600/4-88/039.

*EPA. 1987a. Health effects assessment for dichlorobenzene. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Criteria and Assessment Office. EPA/600/8-88/028. NTIS no. PB88-179387/AS.

*EPA. 1987b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.32.

*EPA. 1987c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.25.

*EPA. 1987d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.35.

*EPA. 1987e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.45.

*EPA. 1987f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.55.

*EPA. 1987g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.65.

*EPA. 1987h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.75.

*EPA. 1987i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.85.

*EPA. 1987j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.91.

*EPA. 1987k. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 414.101.

*EPA. 1987l. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 264, App. IX.

*EPA. 1987m. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, App. III.

EPA. 1987n. Preliminary use and substitutes analysis of para-dichlorobenzene. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by ICF Incorporated, Washington, DC.

EPA. 1987o. The total exposure assessment methodology (TEAM) study: Summary and analysis: Volume I. Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development. EPA/600/687/002a.

EPA. 1987c. U.S. Environmental Protection Agency. Final draft criteria document for ortho-dichlorobenzene, meta-dichlorobenzene, para-dichlorobenzene. Criteria and Standards Division. Office of Drinking Water. EPA, Washington, DC.

*EPA. 1988a. Method T014-1. Compendium of methods for the determination of toxic organic compounds in ambient air. U.S. Department of Commerce. EPA 600/4-89/017.

*EPA. 1988b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261, App. VIII.

*EPA. 1988c. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 372.65.

*EPA. 1988d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 716.120.

*EPA. 1989a. Interim methods for development of inhalation reference doses. Washington, DC: U.S. Environmental Protection Agency, Office of Health and Environmental Assessment. EPA 600/8-88/066F.

*EPA. 1989b. Measurement of purgeable organic compounds in water by capillary column gas chromatography/mass spectrometry-method 524.2. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA/600/4-88/039.

*EPA. 1989c. Measurement of purgeable organic compounds in water by packed column gas chromatography/mass spectrometry-method 524.1 In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA/600/4-88/039.

*EPA. 1989d. NHATS broad scan analysis: Population estimates from fiscal year 1982 specimens. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by Battelle, Arlington VA. EPA 560/5-90-001.

*EPA. 1989e. Volatile halogenated organic compounds in water by purge and trap gas chromatography-method 502.1. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring System Laboratory. EPA 600/4-88-039.

- *EPA. 1989f. Volatile organic compounds in water by purge and trap capillary column gas chromatography with photoionization and electrolytic conductivity detectors in series-method 502.2. In: Methods for the determination of organic compounds in drinking water. Cincinnati, OH: U.S. Environmental Protection Agency, Environmental Monitoring Systems Laboratory. EPA-600/4-88/039.
- *EPA. 1990a. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 261.24.
- *EPA. 1990b. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268.35.
- *EPA. 1990c. Standards of performance for volatile organic compounds (VOC) emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operation. U. S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 60.667.
- *EPA. 1991a. Method 502.1. Methods for the determination of organic compounds in drinking water. U.S. Department of Commerce. EPA-600/4-88/039.
- *EPA. 1991b. Method 502.2. Methods for the determination of organic compounds in drinking water. U.S. Department of Commerce. EPA-600/4-88/039.
- *EPA. 1991c. Method 503.1. Methods for the determination of organic compounds in drinking water. U.S. Department of Commerce. EPA-600/4-88/039.
- *EPA. 1991d. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App. I.
- *EPA. 1991e. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 258, App. II.
- *EPA. 1991f. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, App. IV.
- *EPA. 1991g. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 266, App. VII.
- *EPA. 1991h. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 268, App. IV.
- *EPA. 1991i. α 2 μ -globulin: association with chemically induced renal toxicity and neoplasia in the male rat. Washington, DC. U.S. Environmental Protection Agency. Risk Assessment Forum. EPA/625/3-91-019F.
- *EPA. 1991j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 141.61.
- *EPA. 1991k. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 142.62.
- *EPA. 1991l. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 257, App. I.

- *EPA 1992a. Method 524.2. Methods for determination of organic compounds in drinking water supplement II. U. S. Department of Commerce. EPA-600/R-92/129.
- *EPA. 1992b. Health effects assessment summary tables. Washington, DC: U.S. Environmental Protection Agency, 1-25; 3-12. OERR 9200.6-303(92-1).
- *EPA. 1993. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 455.50, Tables 4, 5 , and 6.
- *EPA. 1994a. Method 5030A. Purge-and-trap. U.S. Environmental Protection Agency.
- *EPA. 1994b. Method 8010B. Halogenated volatile organics by gas chromatography. U.S. Environmental Protection Agency.
- *EPA. 1994c. Method 8020A. Aromatic volatile organics by gas chromatography. U.S. Environmental Protection Agency.
- *EPA 1994d. Method 8021A. Halogenated volatiles by gas chromatography using photonization and electrolytic conductivity detectors in series: Capillary column technique. U. S. Environmental Protection Agency P1-22.
- *EPA. 1994e. Method 8120A. Chlorinated hydrocarbons by gas chromatography. U.S. Environmental Protection Agency.
- *EPA. 1994f. Method 0010. Modified method 5 sampling train. U.S. Environmental Protection Agency.
- *EPA. 1994g. Method 8260A. Volatile organic compounds by gas chromatography/mass spectrometry (GC/MS): Capillary column technique. U.S. Environmental Protection Agency.
- *EPA. 1994h. Method 0030. Volatile organic sampling train. U.S. Environmental Protection Agency.
- *EPA. 1994i. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63.106.
- *EPA. 1994j. U.S. Environmental Protection Agency. Code of Federal Regulations. 40 CFR 63.110, Appendix, Table 9.
- *EPA 1994k. Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry. EPA/600/8-90/066F October 1994. Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency.
- *EPA. 1996. Drinking water regulations and health advisories. Office of Water. U.S. Environmental Protection Agency. October.
- *EPA. 1997a. Land disposal restrictions: Correction of tables; Treatment standards for hazardous wastes and universal treatment standards. (Technical amendment to final rule). U.S. Environmental Protection Agency. Federal Register. 62 FR 7502. February.

- *EPA. 1997b. Toxic chemical release inventory reporting form R and instructions (revised 1996 version). U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. Washington, DC. EPA745K-97-001 (May 1997).
- *Erickson MD, Harris BS, Pellizzari ED, et al. 1980. Acquisition and chemical analysis of mother's milk for selected toxic substances. Washington, DC: U.S. Environmental Protection Agency, Office of Pesticides and Toxic Substances. EPA 56003:80-029.
- Fabbri A, Crescentini G, Mangani F, et al. 1987. Advances in the determination of volatile organic solvents and other organic pollutants by gas chromatography with thermal desorption sampling and injection. *Chromatographia* 23:856-860.
- *Farm Chemicals. 1983. Willoughby, OH: Meister Publishing Company.
- *FEDRIP. 1998. FEDRIP Literature Search (References and Abstracts) for 1,4 Dichlorobenzene. Federal Research in Progress. Dialog Information Service.
- *Fellin P, Otsen R. 1994. Assessment of the influence of climatic factors on concentration levels of volatile organic compounds (VOCs) in Canadian homes. *Atmospheric Environment* 28(22):3581-3586.
- *Fisher R, Barr J, Zuloski CF, et al. 1991. *In-vitro* hepatotoxicity of three dichlorobenzene isomers in human liver slices. *Hum Exp Toxicol* 10:357-363.
- Fisher R, Smith PF, Sipes IG, et al. 1990. Toxicity of chlorobenzenes in cultured rat liver slices. *Journal of Molecular and Cellular Toxicology* 3:181-194.
- *Fisher RL, Hasal SJ, Sipes IG, et al. 1995. Comparative metabolism and toxicity of dichlorobenzenes in Sprague-Dawley, Fischer-344 and human liver slices. *Human Experimental Toxicology* 14:414-421.
- *Fornan SJ. 1966. Body composition of the infant (Part I: The male reference infant). In: Falkner F, ed. *Human development*. Philadelphia, PA: WB Saunders, 239-246.
- *Fornan, SJ, Haschke F, Ziegler EE et al. 1982. Body composition of reference children from birth to age 10 years. *American Journal of Clinical Nutrition* 35:1169-1175.
- *Frank SB, Cohen HJ. 1961. Fixed drug eruption due to paradichlorobenzene. *N Y State J Med* 61:4079.
- *FSTRAC. 1995. Summary of state and federal drinking water standards and guidelines. Report to U.S. Environmental Protection Agency, Washington, DC., by Chemical Communication Subcommittee, Federal-State Toxicology and Regulatory Alliance Committee.
- Gaffney PE. 1976. Carpet and rug industry case study II: Biological effects. *J Water Pollut Contr Fed* 48:2731-2737.
- *Gaines TB, Linder RE. 1986. Acute toxicity of pesticides in adult and weanling rats. *Fundam Appl Toxicol* 7:299-308.

- *Garrison AW, Hill DW. 1972. Organic pollutants from mill persist in downstream waters. *Am Dyestuff Rep* (February):21-24.
- Ghassemi M, Quinlivan S, Bachmaier J. 1984. Characteristics of leachates from hazardous waste landfills. *J Environ Sci Health A19*:579-620.
- *Giavini E, Broccia ML, Prati M, et al. 1986. Teratologic evaluation of p-dichlorobenzene in the rat. *Bull Environ Contam Toxicol* 37:164-168.
- Gosselin RE, Smith RP, Hodge HC, et al. 1984. *Clinical toxicology of commercial products*. 5th ed. Baltimore, MD: Williams and Wilkins, 11-170.
- Gupta KC. 1972. Effects of some antimetotics on the cytology of fenugreek roots *in vivo* and *in vitro*. *Cytobios* 5:179-187.
- *Guzelian PS, Henry CJ, Olin SS. 1992. Similarities and differences between children and adults: Implications for risk assessment. Washington, DC: International Life Sciences Institute Press.
- *Hallbourg RR, Delfino JJ, Miller WL. 1992. Organic priority pollutants in groundwater and surface water at three landfills in North Central Florida. *Water, Air, and Soil Pollution* 65:307-322.
- *Hallowell M. 1959. Acute haemolytic anaemia following the ingestion of paradichlorobenzene. *Arch Dis Child* 34:74-75.
- *Harkov R, Gianti SJ, Bozzelli JW, et al. 1985. Monitoring volatile organic compounds at hazardous and sanitary landfills in New Jersey. *J Environ Sci Health* 5:491-501.
- *Harkov R, Kebbekus B, Bozzelli JW, et al. 1984. Comparison of selected volatile organic compounds during the summer and winter at urban sites in New Jersey. *Sci Total Environ* 38:259-274.
- *Hauser TR, Bromberg SM. 1982. EPA's monitoring program at Love Canal 1980. *Environmental Monitoring and Assessment* 2:249-271.
- *Hawkins DR, Chasseaud LF, Woodhouse RN, et al. 1980. The distribution, excretion and biotransformation of p-dichloro[¹⁴C]benzene in rats after repeated inhalation, oral and subcutaneous doses. *Xenobiotica* 10:81-95.
- *Haworth S, Lawlor T, Mortelmans K, et al. 1983. Salmonella mutagenicity test results for 250 chemicals. *Environ Mutagen (Suppl 1)*:3-142.
- *Hayes WC, Hanley TR Jr, Gushow TS, et al. 1985. Teratogenic potential of inhaled dichlorobenzenes in rats and rabbits. *Fundam Appl Toxicol* 5:190-202.
- *HazDat. 1998. 1,4 Dichlorobenzene. Agency for Toxic Substances and Disease Registry (ATSDR), Atlanta, GA.
- *HEAST. 1990. Health Effects Assessment Summary Tables. 3rd quarter FY-1990. Washington, DC: U.S. Environmental Protection Agency.

- *HEAST. 1992. Health Effects Assessment Summary Tables. 3rd quarter FY-1990. Washington, DC: U.S. Environmental Protection Agency.
- *Heavner DL, Ogden MW, Nelson PR. 1992. Multisorbent thermal desorption/gas selective detection method for the determination of target volatile organic compounds in indoor air. *Environ Sci Technol* 26:1737-1746.
- *Herbold B. 1986a. Investigation of p-dichlorobenzene for clastogenic effects in mice using the micronucleus test. Institute of Toxicology. Report No. 14694.
- *Herbold B. 1986b. Investigation of 2,5-dichlorophenol for clastogenic effects in mice using the micronucleus test. Institute of Toxicology. Report No. 14693.
- *Hill RH, Ashley DL, Head SL, et al. 1995. p-Dichlorobenzene exposure among 1000 adults in the United States. *Archives of Environmental Health* 50(4):277-280.
- *Hissink E, Van Ommen B, Bogaards JJ, et al. 1996. Hepatic epoxide concentrations during biotransformation of 1,2 and 1,4,-dichlorobenzene. *Biological Reactive Intermediates V*. New York: Plenum Press.
- *Hedge MCE, Palmer S, Wilson J, et al. 1977. Paradichlorobenzene: Teratogenicity study in rats. ICI Report No. CRL/P/340. July 27, 1976.
- *Hollingsworth RL, Rowe VK, Oyen F, et al. 1956. Toxicity of paradichlorobenzene: Determinations on experimental animals and human subjects. *AMA Arch Ind Health* 14:138-147.
- *Howard PH. 1989. 1,4-dichlorobenzene. *Handbook of environmental fate and exposure data for organic chemicals*. 1:250-262.
- *Howard PH, ed. 1990. *Handbook of environmental fate and exposure data for organic chemicals*. Vol. I. Large production and priority pollutants. Chelsea, MI: Lewis Publishers, Inc., 250-262.
- *HSDB. 1990. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. July 18, 1990.
- *HSDB. 1996. Hazardous Substances Data Bank. National Library of Medicine, National Toxicology Program (via TOXNET), Bethesda, MD. January 1995.
- *HSDB. 1998. Hazardous Substances Data Bank (1,4 Dichlorobenzene). National Library of Medicine. National Toxicology Program. Bethesda, MD.
- Hughes CS. 1983. CEH product review: Chlorobenzenes. In: *Chemical Economics Handbook*. Menlo Park, CA: SRI International, 633.5030A-633.5031M.
- *IARC. 1982. IARC monographs on the evaluation of the carcinogenic risk of chemicals to humans: Some industrial chemicals and dyestuffs. Vol. 29. International Agency for Research on Cancer, Lyon, France.

- *IARC. 1987. IARC monographs on the evaluation of carcinogenic risks to humans. Overall evaluations of carcinogenicity: An updating of IARC monographs volumes 1 to 42. Supplement 7. International Agency for Research on Cancer, Lyon, France.
- *ICF. 1987. ICF Incorporated. Preliminary use and substitutes analysis of para-dichlorobenzene. Draft. Washington, DC: U.S. Environmental Protection Agency. July 1987.
- IJC. 1983. An inventory of chemical substances identified in the Great Lakes ecosystem. Vol. I - Summary. Windsor, Ontario: International Joint Commission, Great Lakes Water Quality Board.
- *IJC. 1989. 1989 Report on Great Lakes water quality. Presented at Hamilton, Ontario, October 1989. Windsor, Ontario: International Joint Commission, Great Lakes Water Quality Board.
- *Institute di Ricerche Biomediche. 1986a. Study of the capacity of the test article para-dichlorobenzene to induce "unscheduled DNA synthesis" in cultured HeLa cells. Experiment Nos. M1032/1-2.
- *Institute di Ricerche Biomediche. 1986b. Study of the capacity of the test article para-dichlorobenzene to induce gene mutation in V79 Chinese hamster lung cells. Experiment No. 1030.
- *Institute di Ricerche Biomediche. 1987. Study of the capacity of the test article para-dichlorobenzene to induce chromosome aberrations in human lymphocytes cultured *in vitro*. Experiment No. 1031.
- *IRIS. 1998. Integrated Risk Information System. Carcinogenicity assessment. October 1, 1998.
- *IRPTC. 1985. IRPTC data profile on: DCB. International Register of Potentially Toxic Chemicals, United Nations Environment Programme, Geneva, Switzerland. January 1989.
- *IRPTC. 1990. International Register of Potentially Toxic Chemicals. United Nations Environment Programme, Geneva, Switzerland. July 1990.
- *Jacob LW, Zabik MJ. 1983. Importance of sludge-borne organic chemicals for land application programs. Sixth Annual Madison Conf. on Application Res. Pratt. Munic. and Industrial Waste. Univ. Wisconsin .
- *Jan J. 1983. Chlorobenzene residues in human fat and milk. Bull Environ Contam Toxicol 30:595-599.
- *Jay K, Stieglitz L. 1995. Identification and quantification of volatile organic components in emissions of waste incineration plants. Chemosphere 30(7):1249-1260.
- *Jerina DM, Daly JW. 1974. Arene oxides: A new aspect of drug metabolism. Science 185:573-582.
- *Johanson CE. 1980. Permeability and vascularity of the developing brain: Cerebellum vs cerebral cortex. Brain Research 190:3-16.
- *Kanerva RL, Ridder GM, Lefever FR, et al. 1987. Comparison of short-term renal effects due to oral administration of decalin or d-limonene in young adult male Fisher-344 rats. Food Chem Toxicol 25:345-353.

8. REFERENCES

- *Kelly TJ, Mukund R, Spicer CW, et al. 1994. Concentrations and transformations of hazardous air pollutants. *Environ Sci Technol* 28(8):378-387.
- Kenaga EE. 1980. Predicted bioconcentration factors and soil sorption coefficients of pesticides and other chemicals. *Ecotox Environ Safety* 4:26-38.
- *Kimura R, Hayashi T, Sato M, et al. 1979. Identification of sulfur-containing metabolites of p-dichlorobenzene and their disposition in rats. *J Pharm Dyn* 2:237-244.
- *King JW. 1989. Fundamentals and applications of supercritical fluid extraction in chromatographic science. *J Chromatogr Sci* 27:355-364.
- *Klos C, Dekant W. 1994. Comparative metabolism of the renal carcinogen 1,4,-dichlorobenzene in rat: Identificaiton and quantitation of metabolites. *Xenobiotica* 24(10):965-976.
- *Komori M, Nishio K, Kitada M et al. 1990. Fetus-specific expression of a form of cytochrome P-450 in human liver. *Biochemistry* 29:4430-4433.
- Kool HJ, Van Kreijl CF, Zoeteman BC. 1982. Toxicology assessment of organic compounds in drinking water. *CRC Crit Rev Environ Control* 12:307-350.
- Kopfler FC, Melton RG, Mullaney JL, et al. 1977. Human exposure to water pollutants. *Ad Environ Sci Technol* 8:419-433.
- Kopperman HL, Keuhl DW, Glass GE. 1978. Chlorinated compounds found in waste treatment effluents and their capacity to bioaccumulate. In: Jolley RL, ed. *Water chlorination: Environmental impact and health effects*. Volume 1. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 311-328.
- *Kostianinen R. 1995. Volatile organic compounds in the indoor air of normal and sick houses. *Atom Environ* 29(6):693-702.
- *Krishnan K, Andersen ME. 1994. Physiologically-based pharmacokinetic modeling in toxicology. In: *Principles and methods of toxicology*. 3rd edition, Wallace Hayes, ed. New York, NY: Raven Press, Ltd.
- *Krishnan K, Andersen ME, Clewell HJ III, et al. 1994. Physiologically-based pharmacokinetic modeling of chemical mixtures. In: R.S.A. Yang, ed. *Toxicology of chemical mixtures*. New York, NY: Academic Press.
- *Lake BG, Cunnighame ME, Price RJ. 1997. Comparison of the hepatic and renal effects of 1,4-dichlorobenzene in the rat and mouse. *Fund Appl Toxicol* 39:67u75.
- *Langhorst ML, Nestrick TJ. 1979. Determination of chlorobenzenes in air and biological samples by gas chromatography with photoionization detection. *Anal Chem* 51:2018-2025.
- Langner HJ, Hillinger HG. 1971. [Taste variation of the egg caused by the deodorant p-dichlorobenzene.] Analytical proof. *Berlin Muenchen Tierairztl* 84:851. (German)

- *LaRegina J, Bozzelli JW, Harkov R, et al. 1986. Volatile organic compounds at hazardous waste sites and a sanitary landfill in New Jersey: An up-to-date review of the present situation. *Environ Prog* 5:18-27.
- *Lattanzi G, Bartoli S, Bonora B, et al. 1989. The different genotoxicity of p-dichlorobenzene in mouse and rat: Measurement of the *in vivo* and *in vitro* covalent interaction with nucleic acids. *Tumori* 75:305-310.
- Lebret E, Van de Wiel H, Bos H, et al. 1986. Volatile organic compounds in Dutch homes. *Environ Int* 12:323-332.
- *Leeder JS, Kearns GL. 1997. Pharmacogenetics in pediatrics: Implications for practice. *Pediatric Clinics of North America* 44:55-77.
- Lehman-McKeeman LD, Rivera-Torres MI, Caudill D. 1990. Lysosomal degradation of a-2u-globulin and a-2u-globulin-xenobiotic conjugates. *Toxicol Appl Pharmacol* 103:539-554
- *Leo A, Hansch C, Elkins D. 1971. Partition coefficients and their uses. *Chem Rev* 71:525,568.
- *Leung H. 1993. Physiologically-based pharmacokinetic modeling. In: Ballantine B, Marro T, Turner T, eds. *General and applied toxicology*. Vol. I. New York, NY: Stockton Press, 153-164.
- *Lewis RG, Mulik JD, Coutant RW, et al. 1985. Thermally desorbable passive sampling device for volatile organic chemicals in ambient air. *Anal Chem* 57:214-219.
- *Li X, Weber LWD, Rozman KK. 1995. Toxicokinetics of 2,3,7,8 tetrachlorodibenzo-p-dioxin (TCDD) in female Sprague-Dawley rats including placental and lactational transfer to fetuses and neonates. *Fundam Appl Toxicol* 234:70-76.
- *Lide DR, Frederikse HPR. 1994. *CRC handbook of chemistry and physics*. 74th edition P83. CRC Press.
- *Ligocki MP, Levenberger C, Pankow JF. 1985. Trace organic compounds in rain. II. Gas scavenging of neutral organic compounds. *Atmos Environ* 19:1609-1617.
- *Litton Bionetics. 1985. Evaluation of 2,5-dichlorophenol in the *in vitro* transformation of BALB/3T3 cells assay. Report to Bayer AG Institut Fuer Toxicology, West Germany, by Litton Bionetics, The Netherlands.
- *Litton Bionetics. 1986a. Mutagenicity evaluation of 2,5-dichlorophenol in the CHO HGPRT forward mutation assay. Report to Bayer AG Institut Fuer Toxicology, West Germany, by Litton Bionetics, The Netherlands.
- Litton Bionetics. 1986b. Mutagenicity evaluation of p-dichlorobenzene in the CHO HGPRT forward mutation assay. Report to Bayer AG Institut Fuer Toxicology, West Germany, by Litton Bionetics, The Netherlands.
- *Loeser E, Litchfield MH. 1983. Review of recent toxicology studies on p-dichlorobenzene. *Food Chem Toxicol* 21:825-832.

- Lowenheim FA, Morgan MK. 1975. Faith, Keyes and Clark's industrial chemicals. 4th ed. New York, NY: John Wiley and Sons, 258-265.
- Lu P, Metcalf RL. 1975. Environmental fate and biodegradability of benzene derivatives as studied in a model aquatic ecosystem. *Environ Health Perspect* 10:269-284.
- Mabey WR, Smith JH, Pod011 RT, et al. 1982. Aquatic fate process data for organic priority pollutants. Report to U.S. Environmental Protection Agency, Office of Water Regulations and Standards, Washington, DC, by SRI International, Menlo Park, CA. EPA 440/4-81-014.
- Meister RT, ed. 1989. Farm chemicals handbook. Willoughby, OH: Meister Publishing Company, C219.
- *Merck. 1989. The Merck index: An encyclopedia of chemicals, drugs, and biologicals. 11th ed. Rahway, NJ: Merck and Company, Inc., 482.
- *Michael LC, Erickson MD, Parks SP, et al. 1980. Volatile environmental pollutants in biological matrices with a headspace purge technique. *Anal Chem* 52:1836-1841.
- *Michael LC, Pellizzari ED, Wiseman RW. 1988. Development and evaluation of a procedure for determining volatile organics in water. *Environ Sci Technol* 26:265-570.
- Miranda CL, Wang JL, Henderson MC, et al. 1984. Effects of chlorobenzenes on hepatic porphyrin and drug metabolism in chick embryo and day-old chick. *Res Commun Chem Pathol Pharmacol* 46:13-24.
- MIS. 1990. Agency for Toxic Substances and Disease Registry. Office of External Affairs, Exposure and Disease Registry Branch, Atlanta, GA. September 24, 1990.
- *Miyai I, Hirono N, Fujita M, et al. 1988. Reversible ataxia following chronic exposure to para-dichlorobenzene. *J Neurol Neurosurg Psychiatry* 51:453-454.
- *Mizutani T, Nakohori Y, Yamamoto K. 1994. p-Dichlorobenzene-induced hepatotoxicity in mice depleted of glutathione by treatment with buthionine sulfoximine. *Toxicol* 94:57-67.
- *Mohtashamipour E, Triebel R, Straeter H, et al. 1987. The bone marrow clastogenicity of eight halogenated benzenes in male NMRI mice. *Mutagenesis* 2:111-113.
- Monsanto. 1986. Material safety data sheet for Santochlor (para-dichlorobenzene). Monsanto Company. St. Louis, MO.
- *Morita M, Mimura S, Ohi G, et al. 1975. A systematic determination of chlorinated benzenes in human adipose tissue. *Environ Pollut* 9:175-179.
- *Morita M, Ohi G. 1975. Para-dichlorobenzene in human tissue and atmosphere in Tokyo metropolitan area. *Environ Pollut* 8:269-274.
- *Morsehi PL, France-Morselli R, Bossi L. 1980. Clinical Pharmacokinetics in Newborns and Infants. *Clinical Pharmacokinetics* 5:485-527.

Mottram DS, Edwards RA, MacFie HJH. 1982. A comparison of the flavour volatiles from cooked beef and pork meat systems. *J Sci Food Agric* 33:934-944.

*Murthy RC, Migally N, Doye A, et al. 1987. Effect of para-dichlorobenzene on testes of rats. *Adv Contracept Delivery Syst* 3:35-40.

*Nalbandian RM, Pearce JS. 1965. Allergic purpura induced by exposure to 1,4-dichlorobenzene. *JAMA* 194:238-239.

NAS. 1977. Drinking water and health. Washington, DC: National Academy of Sciences, 681-686.

*NAS/NRC. 1989. Biologic markers in reproductive toxicology. National Academy of Sciences/National Research Council. Washington, DC: National Academy Press, 15-35.

*NATICH. 1989. National Air Toxics Information Clearinghouse: NATICH database report on state, local and EPA air toxics activities. Report to U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC, by Radian Corporation, Austin, TX. EPA-450/3-89-29.

*NATICH. 1992. National Air Toxics Information Clearinghouse. Report on state, local, and EPA air toxics activities. U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards, Research Triangle Park, NC. December 1992.

Neptune D. 1980. Descriptive statistic for detected priority pollutants and tabulation listings. Office of Water Planning and Standards, U.S. EPA, Washington, DC. TRDB-0280-001.

*Newsom JM. 1985. Transport of organic compounds dissolved in ground water. *Groundwater Monitoring Review* 5:28-36.

*NFPA. 1994. Fire protection guide to hazardous materials. 11th Edition. National Fire Protection Association.

*NIOSH. 1984. NIOSH manual of analytical methods. 3rd ed. Vol. 2. Cincinnati, OH: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

*NIOSH. 1985. NIOSH pocket guide to chemical hazards. Washington, DC: U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health.

*NIOSH. 1990. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health.

*NIOSH. 1992. NIOSH Recommendations for occupational safety and health-compendium of policy document and statements. National institute for Occupational Safety and Health. Department of Health and Human Services. Publication No. 92-100. Cincinnati, Ohio.

*NIOSH. 1994. Method 1003. NIOSH Manual of Analytical Methods. 4th edition. U.S. Department of Health and Human Services. National Institute for Occupational Safety and Health.

- *NIOSH. 1997. NIOSH pocket guide to chemical hazards. U.S. Department of Health and Human Services. Public Health Services. Centers for Disease Control and Prevention. National Institute for Occupational Safety and Health June 1997.
- NIOSWOSHA. 1981. Occupational health guidelines for chemical hazards, p-dichlorobenzene, DHHS (NIOSH) Publication No. 81-123, Jan. 1981.
- *NOES. 1990. National Occupational Exposure Survey. National Institute of Occupational Safety and Health, Cincinnati, OH. July 16, 1990.
- *NOES. 1996. National Occupational Exposure Survey 1981-1983. U.S. Department of Health and Human Services, National Institute for Occupational Safety and Health, Cincinnati, OH.
- *NRC. 1993. Pesticides in the Diets of Infants and Children. National Research Council. Washington DC: National Academy Press.
- *NTP. 1987. Toxicology and carcinogenesis studies of 1,4-Dichlorobenzene (CAS No. 106-46-7) in F344/N rats and B6C3F1 mice (gavage studies). Research Triangle Park, NC: National Toxicology Program. NTP TR 319. NIH Publication No. 87-2575.
- *NTP. 1989. National Toxicology Program. Fifth annual report on carcinogens: Summary 1989. Report to the National Institute of Environmental Health Sciences, Research Triangle Park, NC, by Technical Resources, Inc., Rockville, MD, 103-106. NTP 89-239.
- *NTP 1995. Printed Long Term Technical Reports and Short Term Toxicity Study Reports. Division of Toxicology Research and Testing. National Toxicology Program. National Institute of Environmental Health Sciences.
- OHMTADS. 1990. Oil and Hazardous Materials/Technical Assistance Data System. Chemical Information Systems, Inc., Baltimore, MD. July 26, 1990.
- *Oliver BG, Nicol KD. 1982a. Chlorobenzenes in sediments, water and selected fish from Lakes Superior, Huron, Erie and Ontario. *Environ Sci Technol* 16:532-536.
- *Oliver BG, Nicol KD. 1982b. Gas chromatographic determination of chlorobenzenes and other chlorinated hydrocarbons in environmental samples using fused silica capillary columns. *Chromatographia* 16:336-340.
- *Oliver BG, Niimi AJ. 1983. Bioconcentration of chlorobenzenes from water by rainbow trout: Correlations with partition coefficients and environmental residues. *Environ Sci Technol* 17:287-291.
- *Oliver KD, Adams JR, Daughtrey EH, et al. 1996. Technique for monitoring ozone precursor hydrocarbons in air at photochemical assessment monitoring stations: Sorbent preconcentration, closed-cycle cooler cryofocusing, and GC-FID analysis. *Atmos Environ* 30(15):2751-2757.
- *Olson MJ, Johnson JT, Reidy CA. 1990. A comparison of male rat and human urinary proteins: Implications for human resistance to hyaline droplet nephropathy. *Toxicol Appl Pharmacol* 102:524-536.

- *Oltmanns RH, Rast HG, Reineke W. 1988. Degradation of 1,4-dichlorobenzene by enriched and constructed bacteria. *Applied Environ Microbial* 28:609-616.
- *OSHA. 1974. U.S. Occupational Safety and Health Administration. Code of Federal Regulations. 29 CFR 1910.1000.
- OSHA. 1986. Occupational Safety and Health Administration. OSHA Computerized Information System (OCIS), SIC IH Information File for p-dichlorobenzene. Salt Lake City, Utah: OSHA, U.S. Dept. of Labor.
- *OSHA. 1989. Air Contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register. 54 FR 2332. January 19, 1989.
- *OSHA. 1989. Occupational Safety and Health Administration: Part III. Federal Register 54:2332-2335, 2923-2933.
- *OSHA. 1993. Air Contaminants. U.S. Department of Labor. Occupational Safety and Health Administration. Federal Register. 58 FR 35338. June 30, 1993.
- *OTA. 1990. Neurotoxicology: Identifying and controlling poisons of the nervous system. Office of Technology Assessment, Washington, DC. OTA-BA-438. .
- Overcash MR, Weber JB, Tucker WP. 1986. Toxic and priority organics in municipal sludge land treatment systems. Report to U.S. Environmental Protection Agency, Wastewater Research Division, Cincinnati, OH, by North Carolina State University, Raleigh, NC. EPA/600/2-86/010. NTIS no. PB86-150208.
- *Owen GM, Brozek J. 1966. Influence of age, sex, and nutrition on body composition during childhood and adolescence. In: Falkner F, ed. *Human development*. Philadelphia, PA: Saunders, 222-238.
- *Page DB, Lacroix GM. 1995. On-line distillation/purge and trap analysis of halogenated, nonpolar, volatile contaminants in foods. *J AOAC Int* 78(6):1416-1428.
- *Page GW. 1981. Comparison of groundwater and surface water for patterns and levels of contamination by toxic substances. *Environ Sci Technol* 15:1475-1481.
- *Pagnotto LD, Walkley JE. 1965. Urinary dichlorophenol as an index of para-dichlorobenzene exposure. *J Am Ind Hyg Assn* 26:137-142.
- *Pankow JF, Ligocki MP, Rosen ME, et al. 1988. Adsorption/thermal desorption with small cartridges for the determination of trace aqueous semivolatile organic compounds. *Anal Chem* 60:40-47.
- *Pankow JF, Rosen ME. 1988. Determination of volatile compounds in water by purging directly to a capillary column with whole column cryotrapping. *Environ Sci Technol* 22:398-405.
- *Pellizzari ED, Hartwell TD, Benjamin SH. 1982. Purgeable organic compounds in mothers's milk. *Bull Environ Contam Toxicol* 28:322-328.

- *Pellizzari ED, Sheldon LS, Bursey JT. 1985. GC/MS determination of volatile halocarbons in blood and tissue. Method 25. In: Fishbein L, O'Neal IK, eds. Environmental carcinogens selected methods of analysis. Vol. 7. Lyon, France: International Agency for Research on Cancer, 435-444.
- *Perocco P, Bolognesi S, Alberghini W. 1983. Toxic activity of seventeen industrial solvents and halogenated compounds on human lymphocytes cultured *in vitro*. Toxicol Lett 16:69-75.
- Perry DL, Chuang CC, Jungclaus GA, et al. 1979. Identification of organic compounds in industrial effluent discharges. Report to U.S. Environmental Protection Agency, Office of Research and Development, Athens, GA., by Battelle Columbus Laboratories, Columbus, OH. EPA-600/4-79-016.
- Petit G, Champeix J. 1948. [Does an intoxication caused by paradichlorobenzene exist?] Arch des Malad Prof de Med 9:311-312. (French).
- *Phillip LJ, Birchard GF. 1991. Regional variations in human toxics exposure in the USA; an analysis based on the national human adipose tissue survey. Arch Environ Contam Toxicol 21:159-168.
- *Plumb RH. 1991. The occurrence of Appendix IX organic constituents in disposal site ground water. Groundwater Monitoring Research Spring:157-164.
- *Prasad I. 1970. Mutagenic effects of the herbicide 3,4-dichloropropionanilide and its degradation products. Can J Microbial 16:369-372.
- Prasad I, Pramer D. 1968. Mutagenic activity of some chloroanilines and chlorobenzenes. Genetics 20:212-213.
- *Preston BD, Miller JA, Miller EC. 1983. Non-arene oxide aromatic ring hydroxylation of 2,2,5,5'-tetrachlorobiphenyl as the major metabolic pathway catalyzed by phenobarbital-induced rat liver microsomes. J Biol Chem 258:8304-8311.
- Rautio AW. 1988. Chlorobenzene Producers Association comments on the Draft Toxicological Profile for 1,4-Dichlorobenzene. Submitted to the Agency for Toxic Substances and Disease Registry, March 7, 1988.
- *Riley RA, Chart IS, Doss A, et al. 1980. Para-dichlorobenzene: Long-term inhalation study in the rat. ICI Report No. CTL/P/447. August, 1980.
- *Rimington GE, Ziegler G. 1963. Experimental porphyria in rats induced by chlorinated benzenes. Biochem Pharmacol 12:1387-1397.
- RTECS. 1990. Registry of Toxic Effects of Chemical Substances. National Library of Medicine, National Toxicology Information Program, Bethesda, MD. July 18, 1990.
- *Saito K, Uwagawa S, Kaneko H, et al. 1996. $\alpha_2\gamma$ -Globulins in the urine of male rats: A reliable indicator for $\alpha_2\mu$ -globulin accumulation in the kidney. Toxicology 106:149-157.
- *Sarbhoy RK. 1980. Effect of para-dichlorobenzene on the somatic chromosomes and mitosis of *Lens esculenta* (L.) Moench. Cytologia 45:381-388.

- *Sax NI, Lewis RJ Sr. 1987. Hawley's condensed chemical dictionary. 1 lth ed. New York, NY: Van Nostrand Reinhold Company, 376.
- *Schaeffer V. 1991. Briefing package: Hazard evaluation of consumer products containing 1,4-dichlorobenzene. Washington, DC: U.S. Consumer Product Safety Commission, Division of Health Effects. Directorate for Health Sciences.
- *Schraa G, Boone ML, Jetten MSM, et al. 1986. Degradation of 1,4 dichlorobenzene by alcaligenes sp. strain a175. *Applied Environ Microbial* 52(6):1374-1381.
- *Schwarzenbach RP, Westall J. 1981. Transport of nonpolar organic compounds from surface water to groundwater. Laboratory sorption studies. *Environ Sci Technol* 15:1360-1367.
- *Scuderi R. 1986. Determination of para-dichlorobenzene releases from selected consumer products. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by Midwest Research Institute, Kansas City, MO.
- *Setchell BP, Waites GMH. 1975. The blood testis barrier. In: Creep RO, Astwood EB, eds., Geiger SR, executive ed. *Handbook of physiology: Endocrinology V (Chapter 6)*. Washington DC: American Physiological Society.
- *Seto Y. 1994. Determination of volatile substances in biological samples by headspace gas chromatography. *J Chromatogr A* 674:25-62.
- *Shah JJ, Heyerdahl EK. 1988. National ambient volatile organic compounds (VOCs): Data base update. Report to U.S. Environmental Protection Agency, Atmospheric Sciences Research Laboratory, Research Triangle Park, NC by Nero and Associates, Inc., Portland, OR. EPA/600/3-88/010a
- Shah JJ, Singh HB. 1988. Distribution of volatile organic chemicals in outdoor and indoor air: A national VOCs data base. *Environ Sci Technol* 22:1381-1388.
- *Sharma AK, Battacharya NK. 1956. Chromosome breakage through paradichlorobenzene treatment. *Cytologia* 21:353-360.
- Sharma AK, Sarkar SK. 1957. A study of the comparative effect of chemicals on chromosomes of roots, pollen mother cells and pollen grains. *Proc Ind Acad Sci B* 45:288-293.
- *Shelby MD, Whitt KL. 1995. Comparison of results from mouse bone marrow chromosome aberration and micronucleus tests. *Environ Mole Muta* 25:302-313.
- Sheldon LS, Hites RA. 1978. Organic compounds in the Delaware River. *Environ Sci Technol* 12:1188-1194.
- Shen TT. 1982. Estimation of organic compound emissions from waste lagoons. *J Air Pollut Control Assoc* 32:79-82.

8. REFERENCES

*Shimizu N, Yasui Y, Matsumoto N. 1983. Structural specificity of aromatic compounds with special reference to mutagenic activity in *Salmonella typhimurium* - a series of chloro- or fluoro-nitrobenzene derivatives. *Mutat Res* 116:217-238.

Shiraishi H, Pilkington NH, Otsuki A, et al. 1985. Occurrence of chlorinated polynuclear aromatic hydrocarbons in tap water. *Environ Sci Technol* 19:585-590.

Simmon VF, Riccio ES, Peirce MV. 1979. *In vitro* microbiological genotoxicity tests of chlorobenzene, m-dichlorobenzene, o-dichlorobenzene, and p-dichlorobenzene. Final Report. Report to U.S. Environmental Protection Agency by SRI International, Menlo Park, CA. U.S. EPA contract no. 68-02-2947.

Singh HB, Salas LJ, Smith A, et al. 1980. Atmospheric measurements of selected hazardous organic chemicals. Report to U.S. Environmental Protection Agency, Environmental Sciences Research Laboratory, Research Triangle Park, NC, by SRI International, Menlo Park, CA.

*Singh HB, Salas LJ, Smith AJ et al. 1981. Measurements of some potentially hazardous organic chemicals in urban atmospheres. *Atmos Environ* 15:601-612.

*Sittig M. 1985. Handbook of toxic and hazardous chemicals and carcinogens. 2nd ed. Park Ridge, NJ: Noyes Publications, 313-316.

*Spain JC, Nishino SF. 1987. Degradation of 1,4-Dichlorobenzene by a *Pseudomonas* sp. *Appl Environ Microbial* 53:1010-1019.

Spicer CW, Riggin RM, Holdren MW, et al. 1985. Atmospheric reaction products from hazardous air pollutant degradation. Report to U.S. Environmental Protection Agency, Office of Research and Development, Research Triangle Park, NC, by Battelle Columbus Laboratories, Columbus, OH. EPA/600/3-85/028. NTIS no. PB85-185841.

*Spiess E, Sommer C, Gorisch H. 1995. Degradation of 1,4-dichlorobenzene by *xanthobacter flavus* 14 pl. *Appl Environ Microbial* 61(11):3884-8.

SRI. 1987. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 568-569.

SRI. 1988. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 559.

SRI. 1989. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 558.

*SRI. 1990. Directory of chemical producers: United States of America. Menlo Park, CA: SRI International, 561.

*SRI International. 1994. 1994 Directory of Chemical Producers - United States of America. Menlo Park, CA: Stanford Research Institute International, 518, 548.

8. REFERENCES

- *SRI International. 1995. 1995 Directory of Chemical Producers - United States of America. Menlo Park, CA: Stanford Research Institute International, 542.
- *SRI International. 1996. 1996 Directory of Chemical Producers - United States of America. Menlo Park, CA: Stanford Research Institute International, 536.
- *SRI International. 1997. 1997 Directory of Chemical Producers - United States of America. Menlo Park, CA: Stanford Research Institute International, 542.
- *Srivastava LM. 1966. Induction of mitotic abnormalities in certain genera of tribe Viciaeae by paradichlorobenzene. *Cytologia* 31:166-171.
- *Stanley JS. 1986. Broad scan analysis of the FY 82 National Human Adipose Tissue Survey specimens. Vol. I - Executive Summary. Report to U.S. Environmental Protection Agency, Office of Toxic Substances, Washington, DC, by Midwest Research Institute, Kansas City, MO. EPA-560/5-86-035.
- *Staples CA, Werner AF, Hoogheen TJ. 1985. Assessment of priority pollutant concentrations in the United States using STORET database. *Environ Toxicol Chem* 4:131-142.
- *Steinmetz KL, Spanggord RJ. 1987a. Examination of the potential of p-dichlorobenzene to induce unscheduled DNA synthesis or DNA replication in the *in vivo* - *in vitro* mouse hepatocyte DNA repair assay.
- *Steinmetz KL, Spanggord RJ. 1987b. Evaluation of the potential of p-dichlorobenzene to induce unscheduled DNA synthesis or DNA replication in the *in vivo* - *in vitro* rat kidney DNA repair assay.
- *Stine ER, Gunawardhana L, Sipes IG. 1991. The acute hepatotoxicity of the isomers of dichlorobenzene in Fischer 344 and Sprague-Dawley rats: Isomer specific and strain specific differential toxicity. *Toxicol Appl Pharmacol* 109:472-481.
- Symons JM, Bellar TA, Carswell JK, et al. 1975. National organics reconnaissance survey for halogenated organics. *J Am Water Works Assoc* (November):634-648.
- *Tabak HH, Quave SA, Mashni CI, et al. 1981. Biodegradability studies with organic priority pollutant compounds. *J Water Pollut Contr Fed* 53:1503-1518.
- *Thomas KW, Pellizzari ED, Cooper SD. 1991. A canister based method for collection and GC/MS analysis of volatile organic compounds in human breath. *J Anal Toxicol* 15:54-59.
- *TRI88. 1990. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI94. 1996. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.
- *TRI96. 1998. Toxic Chemical Release Inventory. National Library of Medicine, National Toxicology Information Program, Bethesda, MD.

- *Trieff NM, Ficklen D, Gan J. 1993. *In vitro* inactivation of glucose-6-phosphate dehydrogenase from human red blood cells by acrolein: A possible biomarker of exposure. *Toxicol Letters* 69:121-127.
- *Trieff NM, Ramanujam VMS, Stara JF, et al. 1991. Water quality criteria assessment for chlorinated benzenes using the quantitative structure activity relation approach and porphyrinogenic endpoint in rats. *Int J Environ Health Res* 1:215-230.
- *Tyl RW, Neeper-Bradley TL. 1989. Paradichlorobenzene: Two generation reproductive study of inhaled paradichlorobenzene in Sprague-Dawley (CD) rats. Laboratory Project 86-81-90605. Washington, DC: Chemical Manufacturers Association, Chlorobenzene Producers Association.
- *U.S. Congress. 1986. Superfund amendments and reauthorization act of 1986. Title III-Emergency Planning and Community Right-to-Know. Ninety-ninth Congress of the United States of America.
- *U.S. Congress. 1990. Clean Air Amendments. Title III, Hazardous Air Pollutants, Section 112(b), Hazardous Air Pollutants as Amended, October 26, 1990. One Hundred and First Congress of the United States of America, 2nd Session Report 101-952.
- *Umemura T, Saito M, Takagi A, et al. 1996. Isomer-specific acute toxicity and cell proliferation in livers of B6C3F1 mice exposed to dichlorobenzene. *Toxicol Appl Pharmacol* 137:268-274.
- *Umemura T, Takada K, Schulz C, et al. 1998. Cell proliferation in the livers of male mice and rats exposed to the carcinogen p-dichlorobenzene: Evidence for thresholds. *Drug and Chemical Toxicology (An International Journal For Rapid)* 21(1):57-66.
- *Umemura T, Tokumo K, Williams GM. 1992. Cell proliferation induced in the kidneys and livers of rats and mice by short term exposure to the carcinogen p-dichlorobenzene. *Archives of Toxicology* 66(7):503-507.
- USITC. 1987. Synthetic organic chemicals: United States production and sales, 1987. Washington, DC: U.S. International Trade Commission. USITC publication 2118, 3-2, 3-7.
- *Verschuere K. 1983. Handbook of environmental data on organic chemicals. 2nd ed. New York, NY: Van Nostrand Reinhold Company, 477-478.
- *Vieira I, Sonnier M, Cresteil T. 1996. Developmental expression of CYP2E1 in the human liver: hypermethylation control of gene expression during the neonatal period. *European Journal of Biochemistry* 238:476-483.
- *Wakeham SG, Davis AC, Karas JL. 1983. Mesocosm experiments to determine the fate and persistence of volatile organic compounds in coastal seawater. *Environ Sci Technol* 17:611-617.
- *Wallace L, Pellizzari E, Sheldon L, et al. 1986a. The total exposure assessment methodology (TEAM) study: Direct measurement of personal exposures through air and water for 600 residents of several U.S. cities. In: Cohen Y, ed. *Pollutants in a multimedia environment*. New York, NY: Plenum Publishers Corporation, 289-315.

- *Wallace LA. 1987. The total exposure assessment methodology (TEAM) study: Summary and analysis: volume I. Office of Research and Development U. S. Environmental Protection Agency 600/6-87/002a.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1986b. Total exposure assessment methodology (TEAM) Study: Personal exposures, indoor-outdoor relationships, and breath levels of volatile organic compounds in New Jersey. *Environ Int* 12:369-387.
- *Wallace LA, Pellizzari ED, Hartwell TD, et al. 1989. The influence of personal activities on exposure to volatile organic compounds. *Environmental Research* 50:37-55.
- *Wang M-J, Bokern M, Boehmen C, et al. 1996. Phytotoxicity uptake and metabolism of 1,4-Dichlorobenzene by plant cells. *Environ Toxicol Chem* 15(7):1109-1114.
- *Wang M-J, McGrath SP, Jones KC. 1995. Chlorobenzenes in field soil with a history of multiple sewage sludge applications. *Environ Sci Technol* 29(2):356-362.
- *Wang MJ, Jones KC. 1994a. Behavior and fate of chlorobenzenes in spiked and sewage sludge-amended soil. *Environ Sci Technol* 28:1843-1852.
- *Wang MJ, Jones KC. 1994b. The chlorobenzene content of contemporary U.K. sewage sludges. *Chemosphere* 28(6):1201-1210.
- *Wang MJ, Jones KC. 1994c. Uptake of chlorobenzenes by carrots from spiked and sewage sludge-amended soil. *Environ Sci Technol* 28:1260-1267.
- Ware SA, Weast WL. 1977. Investigation of selected potential environmental contaminants: Halogenated benzenes. Washington, DC: U.S. Environmental Protection Agency, Office of Toxic Substances. EPA 560/2-77-004.
- *Washall JW, Wampler TP. 1988. Purge and trap analysis of aqueous samples with cryofocusing. *Am Lab* (July):70-74.
- *Weller RW, Crellin AJ. 1953. Pulmonary granulomatosis following extensive use of paradichlorobenzene. *Arch Intern Med* 91:408-413.
- *West JR, Smith HW, Chasis H. 1948. Glomerular filtration rate, effective renal blood flow, and maximal tubular excretory capacity in infancy. *J of Pediatrics* 32a:10-18.
- *WHO. 1984. Guidelines for drinking-water quality. Vol. 1. Recommendations. Geneva, Switzerland: World Health Organization, 85-86.
- *WHO. 1996. Guidelines for drinking-water quality. Second Edition. Volume 2. Health criteria and other supporting information. World Health Organization. Geneva. 1996.
- *Widdowson EM, Dickerson JWT. 1964. Chapter 17: Chemical composition of the body. In: Comar CL and Bronner F, eds. Mineral metabolism: An advanced treatise, volume II - the elements part A. New York: Academic Press.

- Williams RT. 1959. The metabolism of halogenated aromatic hydrocarbons. In: Detoxication mechanisms. 2nd ed. New York, NY: John Wiley and Sons, 237-258.
- *Wilson JT, Enfield CG, Dunlap WJ, et al. 1981. Transport and fate of selected organic pollutants in a sandy soil. *J Environ Qual* 10:501-506.
- *Young DR, Gossett RW, Baird RB, et al. 1981. Wastewater inputs and marine bioaccumulation of priority pollutant organics off Southern California. In: Jolley RW, Brungs WA, Cotruvo JA, et al., eds. *Water chlorination environmental impact and health effects*, Vol. 4, Book 2. Ann Arbor, MI: Ann Arbor Science 871-884.
- *Young DR, Heesen TC. 1978. DDT, PCB and chlorinated benzenes in the marine ecosystem off Southern California. In: Jolley RL, Gorchev H, Hamilton DH Jr. eds. *Water chlorination: Environmental impact and health effects*, Volume 2. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 267-290.
- *Young DR, Heesen TC, Gossett RW. 1980. Chlorinated benzenes in Southern California municipal wastewaters and submarine discharge zones. In: Jolley RL, Brungs WA, Cumming RB eds. *Water chlorination: Environmental impact and health effects*, Volume 3. Ann Arbor, MI: Ann Arbor Science Publishers, Inc., 471-486.
- *Ziegler EE, Edwards BB, Jensen RL et al. 1978. Absorption and retention of lead by infants. *Pediatr Res* 12:29-34.